Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	("20020038425").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/04/02 11:33
S2	294	(content adj delivery adj network)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/31 11:05
S3	16	S2 and @ad<"20000928"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 06:36
S4	23	@ad<"20000928" and akamai	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/01 09:06
S5	1801	@ad<"20000928" and (monitor$3 with load) and (dedicated)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/31 12:43
S6	91	@ad<"20000928" and (monitor$3 with load) same (dedicated)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/31 12:43
S7	0	@ad<"20000928" and (monitor$3 with load) same (dedicated with connection)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/31 12:43
S8	91	@ad<"20000928" and (monitor$3 with load) same (dedicated)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/31 12:45
S9	10	@ad<"20000928" and (monitor$3 with load) same (dedicated with channel)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/31 12:46
S10	42	@ad<"20000928" and (monitor$3 with traffic) same (dedicated with channel)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/31 12:49
S11	0	@ad<"20000928" and 709/105.ccls. and 709/224.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/31 12:50
S12	490	@ad<"20000928" and (709/105.ccls. 709/224.ccls.) and dedicated	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/31 12:50
S13	60	@ad<"20000928" and (709/105.ccls. 709/224.ccls.) and (dedicated adj2 (path interface connection channel))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/31 13:08
S14	8	@ad<"20000928" and (709/105.ccls. 709/224.ccls.) and (dedicated with administrator)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/31 14:43
S16	1	("6233618").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/31 15:04
S19	4	@ad<"20000928" and (monitor$3 with load with (dedicat$3 priorit$3) with network)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/01 09:08
S20	48	@ad<"20000928" and ((monitor$3 manag$3) with load with dedicat$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/01 09:08

S21	0	@ad<"20000928" and ((monitor$3 manag$3) with load with (dedicat$3 adj network))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/01 09:08
S22	3	@ad<"20000928" and (load with (dedicat$3 adj network))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/01 09:09
S23	56	@ad<"20000928" and ((monitor$3 manag$3) with (dedicat$3 adj network))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/01 09:23
S24	1	("6295560").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/01 09:23
S25	9	("5825772" | "5978373" | "5982775" | "5999530" | "6006256" | "6018766" | "6091732" | "6144673" | "6147995").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/01 09:24
S26	210	(load adj balanc$3) and ("dedicated network")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/02 10:49
S27	21	(load adj balanc$3) same ("dedicated network")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/02 11:16
S28	0	(content adj distribution adj network) same ("dedicated network")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/02 11:16
S29	218	(content adj distribution adj network)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/02 11:16
S30	79	(content adj distribution adj network) and dedicat$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/02 11:16
S31	68	(content adj distribution adj network) and dedicat$3 and load$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/02 11:16
S32	56	(content adj distribution adj network) and dedicat$3 and load	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/02 11:16
S33	1435	server adj farm	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/02 11:33
S34	32	(server adj farm) and (monitor$3 adj load)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/02 11:34
S35	21	(server adj farm) and (monitor$3 adj load) and ((content adj distribution) mirroring mirrored replicat$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/02 11:44
S36	61	(server adj farm) and (balanc$3 adj load) and ((content adj distribution) mirroring mirrored replicat$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/02 11:44
S37	16	(server adj farm) and (balanc$3 adj load) same ((content adj distribution) mirroring mirrored replicat$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/02 11:44
S38	27	(server adj farm) and (redirect$3 with load) and ((content adj distribution) mirroring mirrored replicat$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/02 11:51

S39	248	(redirect$3 with load) and ((content adj distribution) mirroring mirrored replicat$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/02 11:45
S40	284	718/105.ccls. and "709".clas.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/02 11:51
S41	47	718/105.ccls. and 709/223.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/02 12:47
S42	6	dedicated adj dns	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/02 12:48
S43	90	(dns adj server) with LAN	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/02 12:50
S44	269	(dns adj server) with local	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/02 12:50
S45	157	(dns adj server) near2 local	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/02 12:50
S46	137	(dns adj server) near local	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/02 12:50
S47	120	local adj (dns adj server)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/02 12:50
S48	41	@ad<"20000928" and local adj (dns adj server)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/02 12:53
S49	11	@ad<"20000928" and (monitor$3 near2 load) with (dedicated)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/02 12:53
S50	11	@ad<"20000928" and (monitor$3 near2 load) with (dedicate$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/02 12:53
S51	2247	(load adj balanc$3) and (token permission)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 06:35
S52	274	(load adj balanc$3) and (token permission) and ticket	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 06:35
S53	200	(load adj balanc$3) and (token permission) and ticket and validat$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 06:36
S54	74	S53 and @ad<"20000928"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 06:36
S55	17	@ad<"20000928" and (load adj balanc$3) and ((token permission ticket) near2 validat$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 09:14
S56	6	@ad<"20000928" and ((token permission ticket) near2 validat$3) and (content adj server)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 11:25

S57	*Full* (1)	@ad<"20000928" and ((token ticket) near2 validat$3) and (content adj server)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 09:15
S58	1	("6718328").URPN.	USPAT	OR	ON	2005/04/04 09:16
S59	*ABS* (14)	("5708780" | "5963917" | "5982445" | "5991738" | "6041357" | "6102406" | "6173406" | "6192407" | "6223292" | "6269394" | "6286001" | "6314425" | "6349288" | "6360254").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/04 10:09
S60	1	("6331865").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/04/04 10:09
S61	177	@ad<"20000928" and (monitor$3 same dedicated same delay$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 15:22
S62	40	@ad<"20000928" and (monitor$3 same dedicated same network same delay$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 11:25
S63	*ABS + kwic* (18)	@ad<"20000928" and (monitor$3 same dedicated same network same delay$3) and packet	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 11:29
S64	82	@ad<"20000928" and (monitor$3 with delay) and (dedicated with network) and packet	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 11:29
S65	*ABS + kwic* (5)	@ad<"20000928" and (monitor$3 with delay) and (dedicated adj network) and packet	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 12:59
S66	1	("6233618").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/04/04 13:05
S67	1	("20020029336").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/04/04 13:08
S68	4247	(personal adj information) with (device terminal)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 13:08
S69	4247	(personal adj information) with (device terminal)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 13:22
S70	*ABS* (51)	(personal adj information) with (specific near2 (device terminal))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 13:27
S71	178	(user adj identification) with ((device terminal) adj (id identification))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 13:27
S73	73	(identify adj user) with ((device terminal) adj (id identification))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 13:32
S74	210	(cell$4 adj $4phone) and (identif$7 adj user) and (sim)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 13:32
S75	*ABS* (54)	(cell$4 adj $4phone) and ((identif$7 adj user) same (sim))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 13:37

S76	3	(cell$4 adj $4phone) and ((identif$7 adj user) same (sim) same (usage billing minutes))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 13:42
S77	0	(cell$4 adj $4phone) and ((identif$7 adj user) same (sim) same (usage billing minutes)) and (download with (information) with phone)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 13:43
S78	0	(cell$4 adj $4phone) and ((identif$7 adj user) same (sim) same (usage billing minutes)) and (download with phone)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 13:44
S79	1	(cell$4 adj $4phone) and ((identif$7 adj user) same (sim) same (usage billing minutes)) and ((download$3 access$3) with $4phone)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 13:48
S80	348	(access$3 with based with (device terminal) adj2 (id identif$7))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 13:48
S81	348	(access$3 with based with ((device terminal) adj2 (id identif$7)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 13:49
S82	9	(account with access$3 with based with ((device terminal) adj2 (id identif$7)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 13:52
S83	6	(user with account with access$3 with based with ((device terminal) adj2 (id identif$7)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 13:54
S84	626	((device terminal) adj2 (id identif$7)) same (password) same (authenticat$3 authoriz$5 access$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 13:55
S85	365	((device terminal) adj2 (id identif$7)) with (password) same (authenticat$3 authoriz$5 access$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 13:55
S86	221	((device terminal) adj2 (id identif$7)) with (password) same (access$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 13:55
S87	11	((device terminal) adj2 (id identif$7)) with (password) same ((access$3) with account)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 15:26
S88	10	((device terminal) adj2 (id identif$7)) with (identif$7 adj user) same ((access$3) with account)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 14:01
S89	0	@ad<"20000928" and (monitor$3 with load) same "out of band"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 15:23
S91	0	@ad<"20000928" and (monitor$3 with load) and (out adj of adj band)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 15:24
S92	0	@ad<"20000928" and (monitor$3 with capacity) and (out adj of adj band)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 15:24
S93	0	@ad<"20000928" and (out adj of adj band)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 15:27
S95	0	"out of band"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 15:26

S100	10016	@ad<"20000928" and (out adj2 band)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 15:27
S101	0	@ad<"20000928" and "out of band"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 15:27
S102	4262	@ad<"20000928" and "out-of-band"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 15:27
S103	2036	@ad<"20000928" and "out-of-band" and (monitor$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 15:27
S104	217	@ad<"20000928" and "out-of-band" and ((monitor$3) same load)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 15:27
S105	84	@ad<"20000928" and "out-of-band" and ((monitor$3) with load)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 15:27
S106	2	@ad<"20000928" and "out-of-band" same ((monitor$3) with load)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 15:28
S107	10	@ad<"20000928" and "out-of-band" same ((monitor$3) with traffic)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 07:39

09961374
Michael J. Simitoski
Michael.Simitoski@uspto.gov
(571) 272-3841

Google

akamai

ACM

Other
Search tool   Search Terms

Inventor Search performed: (the following, if any, found particularly relevant)
10/241,565